

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	15	(maximum near2 number) with (learn\$2) with (address\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 15:07
L9	29	("6308218").URPN.	USPAT	ADJ	ON	2008/02/05 15:15
L10	3	I9 and (address near2 learn\$3) near2 (table)	USPAT	ADJ	ON	2008/02/05 15:22
L21	5087	(370/389).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 17:21
S1	536	(switch or router) same(address near2 learn\$3)same(table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 12:53
S2	8	S1 and (classify\$3) same (user\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 12:56
S3	145	(limit\$3 or threshold) same (learn\$2 near2 address\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 12:56
S4	33	S1 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 12:56
S5	24	S4 and @ad<="20031211"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 13:11

EAST Search History

S6	543	(control\$4) same (learn\$2) same (address\$2) same (switch or router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 16:19
S7	252	S6 and (address near2 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 13:12
S8	176	S7 and (limit or threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 13:13
S9	116	S8 and (assign\$3 or aloocat\$3) same (value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 13:13
S10	117	S8 and (assign\$3 or allocat\$3) same (value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 13:14
S11	84	S10 and @ad<="20031211"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 13:16
S12	68	S10 and @ad<="20021213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 13:16
S13	15	(address\$2 near4 learn\$3) near4 (limit or threshold)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 13:24

EAST Search History

S15	5099	(370/392).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 17:02
S16	68	(370/392).ccls. and (address near2 learn\$3 near2 table)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 13:44
S17	146	"370"/\$.ccls. and (address) near2 (learn\$3) near2 (table) near2 (switch)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 13:46
S18	124	S17 and (threshold or limit)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 13:46
S19	86	S18 and @ad<"20021213"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 13:52
S20	46	(priorit\$4 or classify\$3) with (learn\$2) with (address\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 14:00
S21	441	(lan and wan and destination) and (source) and (address near2 learn\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 14:05
S22	29	(address near2 learn\$3) with (threshold or limit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 14:04

EAST Search History

S23	2	S21 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 14:04
S24	307	S21 and (threshold or limit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 14:05
S25	189	S24 and (address near2 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 14:05
S26	133	S25 and @ad<="20021213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 14:15
S29	447	(370/255).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 14:56
S30	3	S29 and (learn\$3) with (threshold or limit)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 15:10
S31	542	(370/395.31,395.32).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 15:11
S33	271	S31 and (rout\$3 near2 table)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 15:12

EAST Search History

S34	20	S33 and (learn\$3 near2 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 15:16
S35	2	(total near2 number) with (learn\$2 near2 address\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 15:21
S36	3	(address near2 learn\$3) with (upper limit or maximum limit)with (group)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 15:23
S37	0	(address near2 learn\$3) with (upper limit or maximum limit or threshold)with (Vlan group)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 15:23
S38	16	(address near2 learn\$3) with (upper limit or maximum limit or threshold)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 15:46
S39	105	(address near2 learn\$3) same (table) with (vlan id)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 15:47
S40	31	S39 and (prioritiz\$3 or classify\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 15:48
S41	30	S40 and (limit or threshold)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 15:51

EAST Search History

S42	20	(classify\$3 or proritiz\$3) with (vlan port or vlan id)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 15:53
S43	23	(vlan port or vlan id)with (address near2 learn\$3 near2 table)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 15:54
S44	79	(address near2 learn\$3)same (VLAN id)	USPAT	ADJ	ON	2008/02/04 15:58
S45	114	(prioritiz\$3 or classify\$3) with (VLAN)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 16:04
S46	253	(address near2 learn\$3 near table)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 16:05
S47	433	(address near2 learn\$3 near2 table)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 16:27
S48	38	S47 and (classify\$3) and (vlan id)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 16:06
S49	4	(classify\$3 or prioritiz\$3) with (header) with (vlan id)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 16:52
S50	182	(address) same (learn\$3) same (table) same (vlan id)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 16:22

EAST Search History

S51	115	S50 and (check\$3 or search\$3) with (header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 16:23
S52	32	S51 and (classify\$3 or priritiz\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 16:27
S53	369	(address near2 learn\$3 near2 table)	US-PGPUB; USPAT	ADJ	ON	2008/02/04 16:41
S54	22	(address near2 learn\$3 near2 table)with (vlan id)	US-PGPUB; USPAT	ADJ	ON	2008/02/04 16:28
S55	6	(learn\$3 near2 table)same (router or switch)with (upper limit or threshold or maximum)	US-PGPUB; USPAT	ADJ	ON	2008/02/04 16:29
S56	251	(address near2 learn\$3 near2 table)same (switch\$3)	US-PGPUB; USPAT	ADJ	ON	2008/02/04 16:37
S57	137	S56 and (VLAN id)	US-PGPUB; USPAT	ADJ	ON	2008/02/04 16:37
S58	20	S57 and (classify\$3) with (header)	US-PGPUB; USPAT	ADJ	ON	2008/02/04 16:40
S59	20	S57 and (classify\$3) with (header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 16:40
S60	265	(address near2 learn\$3 near2 table)same (switch or router)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 16:42
S61	189	(address near2 learn\$3 near2 table)near2 (switch or router)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 16:42
S62	236	(address near2 learn\$3 near2 table)with (switch or router).	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 16:47

EAST Search History

S64	70	(learn\$3) with (address) with (limit or threshold)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 16:43
S65	17	(vlan id or vlan group)with (classify\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 19:16
S66	4	S62 and S64	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 16:47
S67	4	(limit\$3) near2 (learn\$2) near2(address\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 16:54
S69	307	(total near2 number) with (guarant\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 17:00
S70	2	S69 and (learn\$3 near2 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 16:59
S71	2	S69 and (learn\$3 near2 address\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 16:59
S72	6	S69 and (address near2 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 17:00

EAST Search History

S73	381	(rout\$3 near2 table) with (learn\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 17:03
S74	13	S73 and (vlan id)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 17:56
S75	82	(address near2 learn\$3 near2 unit)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 18:06
S76	22	S75 and (learn\$3 near2 table)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 18:02
S77	2	(total near2 number) with (learn\$2 near2 address\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 18:37
S79	1	(subscript\$3) with(band\$1) same (vlan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 17:20
S80	148	(subscrib\$3) same (vlan) same (switch\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 18:22
S81	10	(assign\$3 or allocat\$3)with (limit) with (vlan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 18:54

EAST Search History

S82	0	(VLAN) with (company domain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 19:11
S83	579	(VLAN) with (domain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 19:11
S84	18	S83 and (address near2 learn\$3) near2 (table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 19:12
S85	1410	(vlan id or vlan group)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 19:16
S86	154	S85 and (address near2 learn\$3) near2 (table)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 19:17
S88	25	S86 and (group)near2 (queue\$3 or buff\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 19:17
S89	36	(control\$4 or limit\$3 or restrict\$3) with (learn\$2 near2 address\$2) with (address near2 table)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/04 19:54
S92	356	((address near2 table) or (route\$3 near2 table))with (learn\$3 near2 table)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 09:08

EAST Search History

S93	111	S92 and (upper limit or maximum limit or threshold)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 09:09
S94	47	S93 and (VLAN near2 group)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 09:09
S95	28	S94 and @ad<"20021213"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 09:10
S96	496	(switch or router) same (address near2 table) same (learn\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 09:46
S97	37	S96 and (VLAN group)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 09:39
S98	379	S96 and (threshold or limit or maximum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 09:47
S99	35	S98 and (VLAN group)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 09:47
S100	119	S98 and (VLAN near2 group)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 09:47

EAST Search History

S10 1	496	(switch or router) same (address near2 table) same (learn\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 11:11
S10 2	26	S101 and (subscript\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 11:19